Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	DEWITT-JIMMIE-EARL-JR.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:11
S3	32	DEWITT-JIMMIE-EARL-JR.in. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:12
S4	17	DEWITT-JIMMIE-EARL-JR.in. and cache.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:11
S5	3	DEWITT-JIMMIE-EARL-JR.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:16
S6	136	LEVINE-FRANK-ELIOT.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:15
S7	5	LEVINE-FRANK-ELIOT.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17
S8	2	DEWITT-JIMMIE-EARL-JR.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17
S9	2	LEVINE-FRANK-ELIOT.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17

S10	34	RICHARDSON-CHRISTOPHER-MICH AEL.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S11	3	RICHARDSON-CHRISTOPHER-MICH AEL.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S12	2	RICHARDSON-CHRISTOPHER-MICH AEL.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S13	79	URQUHART-ROBERT-JOHN.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:19
S14	5	URQUHART-ROBERT-JOHN.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:19
S15	2	URQUHART-ROBERT-JOHN.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:20
S16	59	("20010032305"|"20020019976"|"2 0020124237"|"20020129309"|"2002 0147965"|"20020199179"|"4291371 "|"5103394"|"5691920"|"5774724"| "5930508"|"5938778"|"5966537"|"5 987250"|"6070009"|"6101524"|"618 9141"|"6192513"|"6206584"|"62233 38"|"6256775"|"6286132"|"6324689 "|"6330662"|"6351844"|"6374364"| "6430741"|"6442585"|"6480938"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:20
S17	28	S16 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:17

S19	0	S16 and (false with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:18
S20	3	S16 and (cache with shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:21
S21	7135	711/118,125-126,130,133-134, 144-145,154-156,159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:36
S22	1113	false$2 with shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:37
S23	104	false$2 with shar$3 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:37
S24	29	S23 and (flag with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:55
S25	18	S24 and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:41
S26	39	S23 and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:10

S27	44	S23 and (processor$1 with bit$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:11
S28	36	S23 and (processor$1 near5 bit$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:15
S30	0	dectect$4 with fals$2 with shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:35
S31	37	identif$6 with false$2 with shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:37
S32	227	false$2 near2 shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:38
S33	80	S32 and ((bit$1 or flag$1 or tag$1) same processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:20
S34	4	("5140681" | "5394555" | "6449699" | "6587922").PN. OR ("6963953").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:05
S35	14	("5313578" | "5440710" | "5598553" | "5758183" | "5761729" | "5787480" | "5822763" | "5933598" | "5946716" | "5950228" | "5960461" | "6088758" | "6330649").PN. OR ("6457107"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:41
S36	15	("5749095" | "5778423" | "5829025" | "5860126" | "5873117" | "5887138" | "5893144" | "5909697" | "6021468" | "6038642").PN. OR ("6636950"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 16:07

S37	227	false$2 near2 shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:20
S38	29	S37 and ((semaphore$1 or lock$1) same processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:33
S39	6	S37 and ((semaphore$1) same processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:21
S40	227	false$2 near2 shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 17:54
S41	72	S40 and (set with processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:18
S42	18	S40 and (set with bit with processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 17:54
S43	14	dirty cache hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/07 18:00
S44	79	dirty near2 cache near2 hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:40

S46	2	"5829025".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:19
S47	2	"6021468".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:20
S48	2	"6038642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:20
S49	15	S40 and (redirect$3 or re-direct$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:28
S50	78	S40 and (point$2 same (cache or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:39
S51	42	S40 and (pointer same (cache or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:51
S52	2	"6574727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:52
S53	3	"6708296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:52

S54	46	true sharing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 11:12
S55	2	"5909697".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:18
S56	2	"5873117".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:19
S57	2	"5893144".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:19
S58	227	false$2 near2 shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:29
S59	10	S58 same interrupt$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:20
S60	59	S58 and interrupt$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:23
S61	11	processor flag bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:25

S63	168	S58 and ((write or read) flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:45
S64	103	S58 and (processor same ((write or read) flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:30
S65	47	S58 and (processor same ((write or read) flag) same (set or high))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:32
S66	24	S65 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:32
S70	18	S58 and ((write or read) near2 flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:46
S71	81	"D" near2 cache near2 hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:43
S72	39	S71 and false$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:43
S73	41	S71 and shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:46

S74	21	S73 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:51
S75	417	(modif? with cache) same shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:52
S76	340	S75 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:54
S78	31	S76 and false$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:11
S79	2	"6678798".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:11
S80	331	(redirect$3 or re-direct$3) near2 (request or access) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:31
S81	8	S80 and (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:55
S82	548	((redirect$3 or re-direct$3) with (request or access)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:31

S83	8	S82 and (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:30
S84	64	((redirect$3 or re-direct$3) with (request or access)) same shar$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:38
S85	0	((deviate) with (request or access)) same shar$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:38
S86	540	((direct) with (request or access)) same shar$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:39
S87	458	((direct) near2 (request or access)) same shar$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:39
S88	17	((shift) with (request or access)) same shar$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:52
S92	31822	processor with (flags tags bits fields headers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:57
S93	37	S92 and (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:56

S95	40	S92 and ((false sharing) or (false cache line sharing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:57
S96	2598	(processor with (flags tags bits fields headers)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:00
S10 5	690	(processor with (flags tags bits fields headers)) same (cache adj line$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:38
S10 6	127	(processor with (flags tags bits fields headers)) same (cache adj line$1) same shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:02
S10 7	15	(processor with (flags tags bits fields headers)) same (cache adj line$1) same shar$3 same compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:37
S10 8	46	(processor with compar$3 with (flags tags bits fields headers)) same (cache adj line$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:04
S10 9	3	(processor with (flags tags bits fields headers)) same (cache adj block$1) same shar$3 same compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:38
S11 0	90	(processor with (flags tags bits fields headers)) same (cache adj block$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 18:21

S11 3	271	processor with owner$4 with cache adj (line$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 18:42
S11 4	18	processor with owner$4 with (flags tags bits fields headers) with cache adj (line$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 5	18	processor with owner$4 with (flags tags bits fields headers) with cache adj (line$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 6	16	S115 and shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 7	0	S115 and false$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB ·	OR	OFF	2006/02/09 12:51
S12 1	28	(modif$7 with cache) same false$2 same shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/09 12:56
S12 3	6	(establish$ verif$ reveal$ uncover$) with (false$2 adj shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:32
S12 5	22	(determin$ or identif$) with (false$2 adj shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:29

S12 8	2	(decid$ resolv$ conclud$) with (false$2 adj shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:33
S12 9	5	(determin$ or identif$) with (flags tags bits fields headers) with (false$2 adj shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 13:28
S13 0	33	(determin$ or identif$) with (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:44
S13 1	8	(establish$ verif$ reveal$ uncover$) with (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:32
S13 2	2	(decid$ resolv$ conclud$) with (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:33
S13 3	61	(determin$ or identif$) same (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:11
S13 4	2	(semaphore or identifier) same (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:12
S13 5	11	(indicator) same (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:47

S13 6	25	(check$3 read$3 compar$4 evaluat$4) with (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:49
S13 7	23	("4141067" | "4520439" | "4779189" | "4875155" | "5129060" | "5241641" | "5291442" | "5388222" | "5423019" | "5488709" | "5491811" | "5526482" | "5553307" | "5617530").PN. OR ("5710881").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:00
S13 8	63	access same (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:18
S13 9	28	(false$2 near2 shar$3) same ((seperate different new second another) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:21
S14 0	9	(false$2 near2 shar$3) same (pointer with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:23
S14 1	53	(false$2 near2 shar$3) same (avoid$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:35

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(performance indicator) with (cache line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 10:48
S2	28124	(access request) with (set setting) with (flag tag bit field header semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:50
S3	15774	(access request) near5 (set setting) with (flag tag bit field header semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:53
S4	24	S2 and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:00
S5	28	"access flag bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:10
S6	3	owner near5 (set setting) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:14
S7	10	(processor near5 (flag tag bit field header semaphore) near5 (set setting)) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:18
S8	16	(processor with (flag tag bit field header semaphore) with (set setting)) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:16

S9	14	(processor near5 (flag tag bit field header semaphore) near5 (set setting)) and (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:18
S10	49	(US-5497496-$ or US-5862385-$ or US-6000013-$ or US-6049669-$ or US-6070205-$ or US-6092182-$ or US-5893163-$ or US-5956503-$ or US-5745058-$ or US-6240488-$ or US-5398321-$ or US-5465377-$ or US-5473561-$ or US-5475853-$ or US-5689693-$ or US-5751994-$ or US-5765190-$ or US-5887166-$ or US-6029240-$ or US-6073215-$ or US-4949291-$ or US-5473348-$ or US-5983021-$ or US-5317711-$ or US-5555355-$ or US-5636363-$). did. or (US-5894582-$ or US-5935255-$ or US-6185672-$ or US-6212621-$ or US-6247114-$ or US-6460130-$ or US-4471433-$ or US-5546593-$ or US-5565886-$ or US-5829010-$ or US-5963655-$ or US-6023441-$ or US-6065097-$ or US-6105127-$ or US-6578065-$ or US-5619665-$ or US-5666506-$ or US-5737550-$ or US-5887183-$ or US-5448746-$ or US-5860101-$ or US-5467473-$ or US-5504932-$). did.	USPAT	OR	ON	2006/02/15 15:45
S11	4	S10 and (false$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:46
S12	0	S10 and (false$2 near2 shar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:46
S13	23	S10 and shar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:40

| S14 | 69 | ("0124237"\|"0129309"\|"0014965"\|"0147965"\|"0019976"\|"0199179"\|"0032305"\|"4291371"\|"5103394"\|"5691920"\|"5774724"\|"5930508"\|"5937437"\|"5938778"\|"5966537"\|"5987250"\|"6070009"\|"6101524"\|"6134676"\|"6189141"\|"6192513"\|"6206584"\|"6223338"\|"6243804"\|"6256775"\|"6286132"\|"6324689"\|"6330662"\|"6351844"\|"6374364"\|"6430741"\|"6442585"\|"6446029"\|"6480938").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:40 |